

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2	apparatus and "6754714".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:15
S3	2	"6477586".pn. and (apparatus\$2 program\$1 (computer adj (readable executable)) code software system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:54
S4	2	"6477586".pn. and (processor\$1 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:30
S5	176	"709"/\$.cccls. and ((network adj address\$2) with MAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:38
S6	95	"709"/\$.cccls. and ((network adj address\$2) near4 MAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:40
S7	4	S6 and messag\$8.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:39
S8	8	"709"/\$.cccls. and ((network adj address\$2) near4 ((network adj access adj service adj point) NSAP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:42
S9	9	((digital adj network adj control adj system\$1) DNCS) and ((single one uni shar\$5 only) near (channel connection port link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:30
S10	45678	S3.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:23
S11	300	S3.ab. and "709"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:24

S12	7	S2.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:10
S13	5576	S3.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:23
S14	15	S3.ti. and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:24
S15	1461	((single one uni shar\$5 only) near (channel connection port link)) same ((multiple several number many plurality multi) near (thread\$1 process\$2 application\$1 program\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:17
S16	487	((single one uni shar\$5 only) near (channel connection port link)) with ((multiple several number many plurality multi) near (thread\$1 process\$2 application\$1 program\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:33
S17	138	((single one uni shar\$5 only) near (channel connection port link)) same ((multiple several number many plurality multi) near (thread\$1 process\$2 application\$1 program\$2))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:34
S18	138	"11".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:33
S19	11	"11".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:33
S20	50	((single one uni shar\$5 only) near (channel connection port link)) with ((multiple several number many plurality multi) near (thread\$1 process\$2 application\$1 program\$2))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:34

S21	165	(multi near thread\$2) with (connection port channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:18
S22	38	((multi near thread\$2) with (connection port channel)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:18
S23	7	"17".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:30
S24	22	"17".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:37
S25	11	((single one uni shar\$5 only) near (channel connection port link)) with ((plurality several multiple many several) near thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:40
S26	108	(digital adj network adj control adj system\$1) DNCS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:05
S27	1	((digital adj network adj control adj system\$1) DNCS) and ((multiple various plurality many several different) near (thread\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:47
S28	55	((digital adj network adj control adj system\$1) DNCS) and ((multiple various plurality many several different) near (process\$2 application\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:13
S29	1	((digital adj network adj control adj system\$1) DNCS) and multi-thread\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:14
S30	229702	(single one uni shar\$5 only) near (channel connection port link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:15

S31	9	((digital adj network adj control adj system\$1) DNCS) and ((single one uni shar\$5 only) near (channel connection port link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:44
S32	2066	connection\$1 near shar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:46
S33	319	(connection\$1 near shar\$5) and "709"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:47
S34	46	(connection\$1 near shar\$5) and ((multiple various plurality many several different) near (thread\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 11:19
S35	1	(connection\$1 near shar\$5) and ((digital adj network adj control adj system\$1) DNCS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:48
S36	169	"63".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 13:09
S37	0	"63".ti. and "709"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 13:09

S38	32	(US-5553242-\$ or US-6145015-\$ or US-6279041-\$ or US-6546428-\$ or US-6643690-\$ or US-6691166-\$ or US-6711621-\$ or US-6771646-\$ or US-5784649-\$ or US-6084584-\$ or US-6263370-\$ or US-6735770-\$ or US-6477586-\$ or US-6748556-\$ or US-5596745-\$ or US-6598068-\$). did. or (US-20020013853-\$ or US-20020103884-\$ or US-20020107910-\$ or US-20030069924-\$ or US-20030069923-\$ or US-20030074393-\$ or US-20030079023-\$ or US-20030120782-\$ or US-20040133631-\$ or US-20020042828-\$ or US-20020107966-\$ or US-20040210695-\$ or US-20020100059-\$ or US-20030035416-\$).did. or (EP-953907-\$).did. or (US-20030023617-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/11/04 14:33
S39	20	((US-5553242-\$ or US-6145015-\$ or US-6279041-\$ or US-6546428-\$ or US-6643690-\$ or US-6691166-\$ or US-6711621-\$ or US-6771646-\$ or US-5784649-\$ or US-6084584-\$ or US-6263370-\$ or US-6735770-\$ or US-6477586-\$ or US-6748556-\$ or US-5596745-\$ or US-6598068-\$). did. or (US-20020013853-\$ or US-20020103884-\$ or US-20020107910-\$ or US-20030069924-\$ or US-20030069923-\$ or US-20030074393-\$ or US-20030079023-\$ or US-20030120782-\$ or US-20040133631-\$ or US-20020042828-\$ or US-20020107966-\$ or US-20040210695-\$ or US-20020100059-\$ or US-20030035416-\$).did. or (EP-953907-\$).did. or (US-20030023617-\$).did.) and (compar\$7)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/11/04 14:33
S40	2866	((propos\$5 select\$6 option\$7 intend\$6 determ\$6) with (mode\$1 manner connect\$6 channel\$1 transfer\$7 port\$6 link\$5)) and ((multiple pluarlity serveral multi many variouis) near (thread\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:27

S41	191	((propos\$5 select\$6 option\$7 intend\$6 determ\$6) with (mode\$1 manner connect\$6 channel\$1 transfer\$7 port\$6 link\$5)) same ((multiple pluarlity serveral multi many variouis) near (thread\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:07
S42	15007	(messag\$6) with (mode\$5 means manner) with (transfer\$6 communicat\$6 channel\$1 link\$1 port\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:05
S43	163	((messag\$6) with (mode\$5 means manner) with (transfer\$6 communicat\$6 channel\$1 link\$1 port\$1)) and ((multiple serveral plurality many multi) near (thread\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:15
S44	314	((messag\$6) with (mode\$5 means manner) with (transfer\$6 communicat\$6 channel\$1 link\$1 port\$1)) and ((multiple serveral plurality many multi) near (thread\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:06
S45	112	((messag\$6) with (mode\$5 means manner) with (transfer\$6 communicat\$6 channel\$1 link\$1 port\$1)) and ((multiple serveral plurality many multi) near (thread\$2))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:07
S46	91	((propos\$5 select\$6 option\$7 intend\$6 determ\$6) with (mode\$1 manner connect\$6 channel\$1 transfer\$7 port\$6 link\$5)) with ((multiple pluarlity serveral multi many variouis) near (thread\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:08
S47	31	((propos\$5 select\$6 option\$7 intend\$6 determ\$6) with (mode\$1 manner connect\$6 channel\$1 transfer\$7 port\$6 link\$5)) same ((multiple pluarlity serveral multi many variouis) near (thread\$1))). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:08
S48	50	((messag\$6) with (mode\$5 means manner) with (transfer\$6 communicat\$6 channel\$1 link\$1 port\$1)) and ((multiple serveral plurality many multi) near (thread\$1))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:01

S49	1	((messag\$6) with (mode\$5 means manner) with (transfer\$6 communicat\$6 channel\$1 link\$1 port\$1)) same((multiple serveral plurality many multi) near (thread\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:16
S50	2410	((propos\$5 select\$6 option\$7 intend\$6 determ\$6) with (connect\$6 channel\$1 transfer\$7 port\$6 link\$5)) and ((multiple pluarlity serveral multi many variouis) near (thread\$1)).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:55
S51	651	"74".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:06
S52	0	"74".ti. and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:07
S53	2	"74".ti. and messag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:22
S54	34	"74".ab. and messag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:23
S55	134	((propos\$5 select\$6 option\$7 intend\$6 determ\$6) with (connect\$6 channel\$1 transfer\$7 port\$6 link\$5)) same ((multiple pluarlity serveral multi many variouis) near (thread\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:56
S56	70	"74".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:45
S57	14	"74".ab. and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:46

S58	3449	(select\$5 choos\$5 option\$6 determin\$5) with (channel\$1 link\$1 connect\$9 communicat\$8) with (thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:49
S59	46	S3.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:47
S60	685	(select\$5 choos\$5 option\$6 determin\$5) near2 (channel\$1 link\$1 connect\$9 communicat\$8) with (thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:50
S61	744	(select\$5 choos\$5 option\$6 determin\$5) near2 (transfer\$8 channel\$1 link\$1 connect\$9 communicat\$8) with (thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:50
S62	15	S5.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:50
S63	115	S5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:56
S64	632	718/104.ccls.	USPAT	OR	OFF	2004/11/05 16:12
S65	141	718/104.ccls. and ((select\$8 determin\$8 choos\$7 option\$5) near3 (channel\$6 transfer\$7 connect\$8 link\$7 port\$1))	USPAT	OR	OFF	2004/11/05 16:16
S66	265	718/104.ccls. and ((select\$8 determin\$8 choos\$7 option\$5) with (channel\$6 transfer\$7 connect\$8 link\$7 port\$1))	USPAT	OR	OFF	2004/11/05 16:16
S67	26547	((select\$8 determin\$8 choos\$7 option\$5) near3 (channel\$6 transfer\$7 connect\$8 link\$7 port\$1)).ab.	USPAT	OR	OFF	2004/11/05 16:16
S68	1363	((select\$8 determin\$8 choos\$7 option\$5) near3 (channel\$6 transfer\$7 connect\$8 link\$7 port\$1)).ti.	USPAT	OR	OFF	2004/11/05 16:16

S69	0	((select\$8 determin\$8 choos\$7 option\$5) near3 (channel\$6 transfer\$7 connect\$8 link\$7 port\$1)).ti.) and 718/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:17
S70	13	(718/104.ccls. and ((select\$8 determin\$8 choos\$7 option\$5) near3 (channel\$6 transfer\$7 connect\$8 link\$7 port\$1))) and ((multiple plurality serveral many various multi) near2 thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:25
S71	36	(718/104.ccls. and ((select\$8 determin\$8 choos\$7 option\$5) with (channel\$6 transfer\$7 connect\$8 link\$7 port\$1))) and ((multiple plurality serveral many various multi) near2 thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:18
S72	12	((select\$8 determin\$8 choos\$7 option\$5) near3 (channel\$6 transfer\$7 connect\$8 link\$7 port\$1)).ab.) and 718/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:21
S73	294	709/207.ccls.	USPAT	OR	OFF	2004/11/08 09:57
S74	32	709/207.ccls. and (thread\$1)	USPAT	OR	OFF	2004/11/08 09:57
S75	2	709/207.ccls. and thread\$1.ab.	USPAT	OR	OFF	2004/11/08 09:46
S76	1348	709/227.ccls.	USPAT	OR	OFF	2004/11/08 09:48
S77	1	709/227.ccls. and thread\$1.ti.	USPAT	OR	OFF	2004/11/08 09:48
S78	8	709/227.ccls. and thread\$1.ab.	USPAT	OR	OFF	2004/11/08 09:56
S79	522	709/207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:57
S80	32	709/207.ccls. and (thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:57
S81	55	709/207.ccls. and (thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:57
S82	4	709/207.ccls. and thread\$1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:59

S83	2239	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:00
S84	244	709/227.ccls. and thread\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:00
S85	15	709/227.ccls. and thread\$1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:04
S86	1486	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:04
S87	187	709/226.ccls. and thread\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:04
S88	23	709/226.ccls. and thread\$1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:33
S89	184	709/226.ccls. and (reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 15:24
S90	465	709/227.ccls. and (reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:37
S91	153	709/227.ccls. and (reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different echang\$7 replac\$7 \$2chang\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:40

S92	153	709/227.ccls. and ((reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different echang\$7 replac\$7 \$2chang\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:23
S93	18	(709/227.ccls. and ((reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different echang\$7 replac\$7 \$2chang\$7))) and thread\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:42
S94	5	(709/226.ccls. and ((reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different echang\$7 replac\$7 \$2chang\$7))) and thread\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:16
S95	44	709/226.ccls. and ((reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different echang\$7 replac\$7 \$2chang\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:24
S96	1562	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:23
S97	82	709/225.ccls. and ((reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different exchang\$7 replac\$7 \$2chang\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:24
S98	1152	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:24

S99	66	709/228.ccls. and ((reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different exchang\$7 replac\$7 \$2chang\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:25
S10 0	15	(709/225.ccls. and ((reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different exchang\$7 replac\$7 \$2chang\$7))) and thread\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:36
S10 1	7	(709/228.ccls. and ((reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different exchang\$7 replac\$7 \$2chang\$7))) and thread\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:38
S10 2	44	709/226.ccls. and (reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different replac\$7 \$2chang\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:47
S10 3	1152	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:46
S10 4	7	(709/228.ccls. and (reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different replac\$7 \$2chang\$7)) and thread\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:24
S10 5	66	709/228.ccls. and (reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 tranfer\$7) same (alternat\$7 substitut\$7 different replac\$7 \$2chang\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:53

S10 6	6060	thread\$2 and (reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 transfer\$7) same (alternat\$7 substitut\$7 different replac\$7 \$2chang\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:54
S10 7	4356	"718"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:54
S10 8	25	(thread\$2 and (reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 transfer\$7) same (alternat\$7 substitut\$7 different replac\$7 \$2chang\$7)) and "718"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:54
S10 9	2	"20030056001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:06
S11 0	3166	((shared one uni single) near2 (connection channel port communication link)) and ((cable adj head adj end\$1) (set adj box adj top\$1) (cable adj network\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:13
S11 1	1370	((shared one uni single) near2 (connection channel port communication link)) and ((cable adj head adj end\$1) (set adj box adj top\$1) (cable adj network\$5) same (application\$1 program\$1 process\$2 routine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:14
S11 2	1371	((shared one uni single) near2 (connection channel port communication link)) and ((cable adj head adj end\$1) (set adj box adj top\$1) (cable adj network\$5) same (thread\$1 application\$1 program\$1 process\$2 routine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:16
S11 3	188	((shared one uni single) near2 (connection channel port communication link)) and ((cable adj head adj end\$1) (set adj box adj top\$1) (cable adj network\$5) same (thread\$1 application\$1 program\$1 process\$2 routine\$1))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:15

S11 4	734	((shared one uni single) near2 (connection channel port communication link) with (thread\$1 application\$1 program\$1 process\$2 routine\$1)) and ((cable adj head adj end\$1) (set adj box adj top\$1) (cable adj network\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 15:24
S11 5	88	((shared one uni single) near2 (connection channel port communication link) with (thread\$1 application\$1 program\$1 process\$2 routine\$1)) and ((cable adj head adj end\$1) (set adj box adj top\$1) (cable adj network\$5))) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:23
S11 6	199	709/226.ccls. and (reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 15:25
S11 7	77	709/226.ccls. and ((reject\$5 deny deni\$7 disallow\$5 refus\$7 declin\$7 discard\$6 eliminat\$6) with (connect\$7 communicat\$5 channel\$1 port\$1 path\$1) same (thread\$1 application\$1 process\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 15:33
S11 8	102	709/223-229.ccls. and ((determin\$7 select\$7 choos\$5 pick\$5 option\$8 alternat\$8 substitut\$8 replac\$8 differ\$8 switch\$7) with (path\$1 connect\$7 port\$1 channel\$1 link\$1 seesion\$1)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 16:06
S11 9	7	(709/223-229.ccls. and ((determin\$7 select\$7 choos\$5 pick\$5 option\$8 alternat\$8 substitut\$8 replac\$8 differ\$8 switch\$7) with (path\$1 connect\$7 port\$1 channel\$1 link\$1 seesion\$1)).ti.) and (thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 16:07
S12 0	7	(709/223-229.ccls. and ((determin\$7 allocat\$8 select\$7 choos\$5 pick\$5 option\$8 alternat\$8 substitut\$8 replac\$8 differ\$8 switch\$7) with (path\$1 connect\$7 port\$1 channel\$1 link\$1 seesion\$1)).ti.) and (thread\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 16:07
S12 1	111	709/223-229.ccls. and ((determin\$7 allocat\$8 select\$7 choos\$5 pick\$5 option\$8 alternat\$8 substitut\$8 replac\$8 differ\$8 switch\$7) with (path\$1 connect\$7 port\$1 channel\$1 link\$1 seesion\$1)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:09